

# BRIGHT LED ELECTRONICS CORP.

## LED DIGIT DISPLAY SPECIFICATION

●COMMODITY : 0.39"(10.0mm) SINGLE DIGIT DISPLAY

●DEVICE NUMBER : BS-A346RD

VERSION: 1.0 /2000.11.30


●ELECTRICAL AND OPTICAL CHARACTERISTICS (Ta=25°C)

Chip		Absolute Maximum Ratings				Electro-Optical Data (At 10mA)			Surface Color	Segment Color
Emitted Color	Peak Wave Length λ P(nm)	Δ λ (nm)	Pd (mW)	If (mA)	Pead If(mA)	Vf (V)	If (mA)	Iv Typ. (mcd)		
						Typ.	Typ.			
Super Red	660	20	80	30	150	1.7	2.5	6.0	Black	White


●ABSOLUTE MAXIMUN RATINGS (Ta=25°C)

Reverse Voltage ..... 5V  
 Reverse Current (-Vr=5V) ..... 50μA  
 Operating Temperature Range ..... -40°C ~ 80°C  
 Storage Temperature Range ..... -40°C ~ 85°C  
 Lead Soldering Temperature (1/16" From Body) ..... 260°C For 5 Seconds

●PACKAGE DIMMENSIONS:



PIN FUNCTIONS:



RELEASED:



ENGINEER:

