

IP65 and IP67 DIE-CAST ALUMINIUM ENCLOSURES



ETC IP65
CERTIFIED

ETC IP67
CERTIFIED

PRODUCT INFORMATION

- MATERIAL: Aluminium alloy ADC-12 to Japan (JIS)
- Finish: Natural aluminium color.
- Designed to meet IP65 / IP67 through the use of neoprene gasket with the universal tongue and groove seal system.
- Wall Mounting holes and lid fixing screws are outside the sealing area for realing protection.

LIGHT GREY(LG), BLACK(BK) OF POWDER COATED ALUMINIUM ENCLOSURES ARE AVAILABLE FOR ORDERING . JUST NEED TO ADD THE COLOR CODE AFTER THE ITEM NO.

Ex: G124BK, G102LG



G118BK



G120LG



G104



G104-IP67

IP65 RATING

(with non-continuous gasket)


ITEM No.	EXTERNAL DIMENSION(mm)
G101	50 x 45 x 30
G102	90 x 36 x 30
G103	98 x 64 x 34
G104	64 x 58 x 35
G105	55.5 x 41 x 31
G106	115 x 65 x 30
G107	125 x 80 x 40
G108	125 x 80 x 57
G109	150 x 63 x 36.5
G110	79.6 x 74.6 x 52
G111	115 x 65 x 55
G112	175 x 80 x 60
G113	115 x 90 x 55
G115	148 x 108 x 75
G116	160 x 100 x 60
G117	160 x 100 x 81
G118	175 x 80 x 60
G120	171 x 121 x 55
G123	200 x 120 x 75
G124	222 x 146 x 55
G125	222 x 146 x 82
G137	120.5 x 120.5 x 101.5
G139	158.5 x 158.5 x 101.5
G155	260 x 160 x 90.5

IP67 RATING

(with continuous seal)

ITEM No.	EXTERNAL DIMENSION(mm)
G101-IP67	50 x 45 x 30
G102-IP67	90 x 36 x 30
G103-IP67	98 x 64 x 34
G104-IP67	64 x 58 x 35
G105-IP67	55.5 x 41 x 31
G106-IP67	115 x 65 x 30
G107-IP67	125 x 80 x 40
G108-IP67	125 x 80 x 57
G109-IP67	150 x 63 x 36.5
G110-IP67	79.6 x 74.6 x 52
G111-IP67	115 x 65 x 55
G112-IP67	102.5 x 52.5 x 25.5
G113-IP67	115 x 90 x 55
G115-IP67	148 x 108 x 75
G116-IP67	160 x 100 x 60
G117-IP67	160 x 100 x 81
G118-IP67	175 x 80 x 60
G120-IP67	171 x 121 x 55
G123-IP67	200 x 120 x 75
G124-IP67	222 x 146 x 55
G125-IP67	222 x 146 x 82
G137-IP67	120.5 x 120.5 x 101.5
G139-IP67	158.5 x 158.5 x 101.5
G155-IP67	260 x 160 x 90.5

G107



G108

