

紫米[®] zime[®]

ZIME Product Manual

POWER BANK

要快充，
找紫米！



145W Super Fast Charging 25000mAh Battery/Power Digital Display



Product Name: 145W High Power Fast Charging Power Bank

Model: Z5

Battery Type: 21700 Li-ion Battery

Battery Capacity: 5000mAh per cell (5 cells in series)

Battery Power: 5000mAh 18V 90Wh

Rated Capacity: 14000mAh (5V6A)

USB-C1 Output: 5V-3A/9V-3A/10V-2.25A/12W-3A/15V-3A/20V-5A/28V-5A(3.3V~20V)-5A (140W)

USB-C2 Output: 5V-3A/9V-3A/10V-2.25A/12V-3A/15V-3A/20V-5A/(3.3V~20V)-5A (100W Max)

USB-A Output: 5V-3A/9V-3A/12V-2.5A/10V-2.25A/15V-2A/20V-1.5A/(3.3V~11V)-5A(11V~22V)-3.25A (65W Max)

Multiple Output: C1+C2/C1+A:100W+45W Max ;C1+C2+A:100W+15W+15W Max; C2+A:15W+15W Max

USB-C1 Input: 5V-3A/9V-3A/12V-3A/15V-3A/20V-5A (100W Max)

USB-C2 Input: 5V-3A/9V-3A/10V-2.25A/12V-3A/15V-3A/20V-3.25A(3.3~11V)-5A/(11V~20V)-3.25A (65W Max)

USB-C1 Output: PD2.0/PD3.0/PD3.1/PPS/SCP/FCP/QC2.0/QC3.0/AFC/DCP/Apple 2.4A

USB-C2 Output: PD2.0/PD3.0/PPS/SCP/FCP/SFCP/QC2.0/QC3.0/UFCS/AFC/PE1.1/PE2.0/DCP/Apple 2.4A

USB-A Output: SCP/FCP/SFCP/QC2.0/QC3.0/UFCS/AFC/PE 1.1/PE 2.0/DCP/Apple 2.4A

USB-C1 Input: PD2.0/PD3.0/PPS/FCP/AFC

USB-C2 Input: PD2.0/PD3.0/PPS/FCP/UFCS/AFC

Size: 160*82*27mm Weight: 530g

Material: ABS+PC



Built-in Cable 20000mAh 65W Two-way fast charging Compact and Portable



Product Name: Built-in Cable Fast Charging Power Bank

Model: Z3

Battery Type: Polymer Lithium-ion Battery

Battery Capacity: 5000mAh per cell (4 cells in series)

Battery Power: 5000mAh 15.4V 77Wh

Rated Capacity: 11600mAh (5V3A)

USB-C/USB-C Cable Output: 5V-3A/9V-3A/12V-2.5A/15V-3A/20V-2.25A/20V-3A/20V-3.25A(65W Max)

USB-C/USB-C Cable Input: 5V-3A/9V-3A/12V-2.5A/15V-3A/20V-2.25A/20V-3A/20V-3.25A(65W Max)

USB-A Output: 5V-3A/9V-2.22A/12V-1.5A/10V-6.5A (65W Max)

Multiple Output: 5V-3A(15W Max)

USB-AOutput: UFCS/SCP/QC2.0/QC3.0/FCP

USB-C/USB-C Cable Output: PD2.0/PD3.0/QC2.0/QC3.0/FCP/AFC/UFCS/PPS

USB-C/USB-C Cable Input: PD2.0/PD3.0/AFC/FCP/SCP

Size: 108*68*33mm Weight: 343g

Material: ABS+PC



Built-in Cable 55W Fast Charging 20000mAh Digital Display

Product Name: Built-in Cable 55W Fast Charging Power Bank

Model: Z1

Battery Type: Polymer Lithium-ion Battery

Battery Capacity: 10000mAh per cell (2 cells in series)

Battery Power: 10000mAh 7.4V 74Wh

Rated Capacity: 12000mAh (5V3A)

USB-C/USB-C Cable Input: 5V-3A/9V-3A/12V-3A/15V-2.66A/20V-2A(40W Max)

USB-C/USB-C Cable Output: 5V-3A/9V-3A/12V-3A/15V-3A/20V-2.25A/ (3.4-11V) - 4A/ (5-11V) -5A(55W Max)

USB-A Output: 5V-3A/9V-2A/12V-1.5A/11V-3A/ (3.4-11V) -4A (44W Max)

Multiple Output: 5V-3A(15W Max)

USB-A Output: QC2.0/QC3.0/AFC/SCP/FCP/UFCS

USB-C/USB-C Cable Output: PD2.0/PD3.0/QC2.0/QC3.0/FCP/AFC/SCP/PPS/UFCS

USB-C/USB-C Cable Input: PD2.0/PD3.0/AFC/FCP

Size: 162*72*30mm Weight: 477g

Material: ABS+PC





55W Super Fast Charging 20000mAh Digital Display

Product Name: Fast Charging Power Bank

Model: Z1Y

Battery Type: Polymer Lithium-ion Battery

Battery Capacity: 10000mAh per cell (2 cells in series)

Battery Power: 10000mAh 7.4V 74Wh

Rated Capacity: 12000mAh (5V3A)

USB-C1/USB-C2 Input: 5V-3A/9V-3A/12V-3A/15V-2.66A/20V-2A(40W Max)

USB-C1/USB-C2 Cable Output: 5V-3A/9V-3A/12V-3A/15V-3A/20V-2.25A/ (3.4-11V)
-4A/ (5-11V) -5A(55W Max)

USB-A Output: 5V-3A/9V-2A/12V-1.5A/11V-3A/ (3.4-11V) -4A (44W Max)

Multiport Output: 5V-3A(15W Max)

USB-A Output: QC2.0/QC3.0/AFC/SCP/FCP/UFCS

USB-C1/USB-C2 Output: PD2.0/PD3.0/QC2.0/QC3.0/FCP/AFC/SCP/PPS/UFCS

USB-C1/USB-C2 Input: PD2.0/PD3.0/AFC/FCP

Size: 162*72*30mm Weight: 470g

Material: ABS+PC

Expected Launch Date: January 20, 2026





Built-in Cable 22.5 W Fast Charging 20000mAh Digital Display



Product Name: Built-in Cable Fast Charging Power Bank

Model: Z1se

Battery Type: Polymer Lithium-ion Battery

Battery Capacity: 10000mAh per cell (2 cells in series)

Battery Power: 10000mAh 7.4V 74Wh

Rated Capacity: 12000mAh (5V3A)

USB-C/USB-C Cable Input: 5V-3A/9V-2A/12V-1.5A(18W Max)

USB-C/USB-C Cable Output: 5V-3A/9V-2.22A/10V-2.25A/12V-1.67A/(5V-5.9V)-
3A/(5V-11V)-2A (22.5W Max)

USB-A Output: 5V-3A/9V-2A/10V-2.25A/12V-1.5A (22.5W Max)

USB-C/USB-C Cable Input: PD2.0/PD3.0/FCP/AFC

USB-C/USB-C Cable Output: PD2.0/PD3.0/QC2.0/QC3.0/FCP/AFC/SCP

USB-A Input: QC2.0/QC3.0/FCP/AFC/SCP/VOOC

Size: 147*69*30mm Weight: 450g

Material: ABS+PC

Expected Launch Date: January 20, 2026



Built-in Two Cables 45W Fast Charging 10000mAh Compact and Portable



Product Name: Magnetic Built-in Cable Power Bank

Model: A3

Color: Pink, White

Battery Type: 21700 Li-ion Battery

Battery Capacity: 5000mAh per cell (2 cells in series)

Battery Power: 5000mAh 7.2V 36Wh

Rated Capacity: 5700mAh (5V3A)

USB-C/USB-C Cable Output: 5V-3A/9V-3A/10V-2.25A/12V-2.5A/15V-3A/20V-2.25A(45W Max)

USB-C/USB-C Cable Input: 5V-3A/9V-3A/12V-3A/15V-3A/20V-2.25A(45W Max)

Lighting Cable Output: 5V-3A/9V-2.22A(20W Max)

Wireless Charging Output: (3W Max)

Multiple Output: 5V-3A(15W Max)

USB-C/USB-C Cable Output: PD2.0/PD3.0/QC2.0/QC3.0/FCP/AFC/SCP/PPS/UFC

USB-C/USB-C Cable Input: AFC/FCP/SCP/PD2.0/PD3.0

Lighting Cable Output: PD2.0/PD3.0

Size: 57.5*34.5*117mm Weight: 217g

Material: ABS+PC



Built-in Two Cables 45W Fast Charging 10000mAh Compact and Portable



Product Name: Magnetic Built-in Cable Power Bank

Model: A3

Color: Black

Battery Type: 21700 Li-ion Battery

Battery Capacity: 5000mAh per cell (2 cells in series)

Battery Power: 5000mAh 7.2V 36Wh

Rated Capacity: 5700mAh (5V3A)

USB-C/USB-C Cable Output: 5V-3A/9V-3A/10V-2.25A/12V-2.5A/15V-3A/20V-2.25A(45W Max)

USB-C/USB-C Cable Input: 5V-3A/9V-3A/12V-3A/15V-3A/20V-2.25A(45W Max)

Lighting Cable Output: 5V-3A/9V-2.22A(20W Max)

Wireless Charging Output: (3W Max)

Multiple Output: 5V-3A(15W Max)

USB-C/USB-C Cable Output: PD2.0/PD3.0/QC2.0/QC3.0/FCP/AFC/SCP/PPS/UFC

USB-C/USB-C Cable Input: AFC/FCP/SCP/PD2.0/PD3.0

Lighting Cable Output: PD2.0/PD3.0

Size: 57.5*34.5*117mm Weight: 217g

Material: ABS+PC



Built-in 2 Cables

22.5W Super Fast Charging 20000mAh

Product Name: Built-in 2 Cables Fast Charging Power Bank

Model: B225W2Cable-2W

Battery Type: Polymer Lithium-ion Battery

Battery Capacity: 20000mAh (74Wh)

Rated Capacity: 11600mAh (5V3A)

USB-C Input: 5V-2.5A/9V-2A/12V-1.5A (18W Max)

Lightning Input: 5V-2A/9V-2A/12V-1.5A (18W Max)

USB-C Output: 5V-3A/5V-2.4A/9V-2.22A/12V-1.67A (20W Max)

USB-A/USB-C Cable Output: 5V-4.5A/5V-3A/9V-2A/12V-1.5A(22.5W Max)

Lightning Input: 5V-2.4A (12W Max)

Multiple Output: 5V-3A (15W Max)

USB-C Input: PD2.0/PD3.0/FCP/SFCP/ACF

Lightning Input: FCP/SFCP/ACF

USB-C Output: SCP/FCP/SFCP/PD2.0/PD3.0/PPS/QC2.0/QC3.0/ACF/

MTK PE1.0/MTK PE2.0

USB-A/USB-C Cable Output:

SCP/FCP/SFCP/QC2.0/QC3.0/AFC/MTKPE1.0/ MTKPE2.0

Size: 147*69*30mm Weight: 425g

Material: ABS+PC





Built-in 2 Cables 20000mAh 22.5W Super Fast Charging

Product Name: Built-in 2 Cables Fast Charging Power Bank

Model: E48

Battery Type: Polymer Lithium-ion Battery

Battery Capacity: 20000mAh (77Wh)

Rated Capacity: 11600mAh (5V3A)

USB-A Output: 10V-2.25A/5V-3A/9V-2A/12V-1.5A (22.5W Max)

USB-C Cable Output: 10V-2.25A/5V-3A/9V-2A/12V-1.5A (22.5W Max)

Lightning Cable Output: 5V-3A/9V-2.22A/12V-1.67A(20W Max)

Multiple Output: 5V-3A (15W Max)

USB-C Input: 5V-2A/9V-2A (18W Max)

USB-A/C Cable Output:

SCP/FCP/QC3.0/QC2.0/AFC/PE2.0/PE1.1

Lightning Cable Output: PD3.0/PD2.0

USB-C Input: SCP/FCP/AFC/PE1.1

Size: 94*88*31mm

Weight: 327g

Material: ABS+PC



Built-in 2 Cables

22.5W Super Fast Charging 10000mAh

Product Name: Built-in 2 Cables Fast Charging Power Bank

Model: B225W2Cable-1W

Battery Type: Polymer Lithium-ion Battery

Battery Capacity: 10000mAh (37Wh)

Rated Capacity: 5800mAh (5V3A)

USB-C Input: 5V-2.5A/9V-2A/12V-1.5A (18W Max)

Lightning Input: 5V-2A/9V-2A/12V-1.5A (18W Max)

USB-C Output: 5V-3A/5V-2.4A/9V-2.22A/12V-1.67A (20W Max)

USB-A/USB-C Cable Output: 5V-4.5A/5V-3A/9V-2A/12V-1.5A(22.5W Max)

Lightning Input: 5V-2.4A (12W Max)

Multiple Output: 5V-3A(15W Max)

USB-C Input: PD2.0/PD3.0/FCP/SFCP/ACF

Lightning Input: FCP/SFCP/ACF

USB-C Output: SCP/FCP/SFCP/PD2.0/PD3.0/PPS/QC2.0/QC3.0/ACF/
MTK PE1.0/MTK PE2.0

USB-A/USB-C Cable Output:

SCP/FCP/SFCP/QC2.0/QC3.0/AFC/MTKPE1.0/ MTKPE2.0

Size: 147*69*18mm Weight: 240g

Material: ABS+PC



22.5W Super Fast Charging

10000mAh Ultra-thin and portable

Product Name: Fast Charging Power Bank

Model: B225W2A1C-1W

Battery Type: Polymer Lithium-ion Battery

Battery Capacity: 10000mAh (37Wh)

Rated Capacity: 6000mAh (5V2A)

USB-A1/A2 Output: 5V-3A/9V-2A/10V-2.25A/12V-1.5A
(22.5W Max)

Type-c Output: 5V-3A/9V-2.22A/12V-1.67A (20W Max)

Type-c Input: 5V-3A/9V-2A (18W Max)

Multiple Output: 5V-3A (15W Max)

USB-A1/A2 Output: SCP/FCP/QC2.0/QC3.0/AFC/VOOC

USB-C Output/Input:

PD2.0/PD3.0/QC2.0/QC3.0/AFC/FCP

Size: 146*68*16mm Weight: 235g

Material: ABS+PC





22.5W Super Fast Charging

20000mAh Ultra Capacity

Product Name: Fast Charging Power Bank

Model: B225W2A1C-2W

Battery Type: Polymer Lithium-ion Battery

Battery Capacity: 20000mAh (74Wh)

Rated Capacity: 12000mAh (5V2A)

USB-A1/A2 Output: 5V-3A/9V-2A/10V-2.25A/12V-1.5A
(22.5W Max)

Type-c Output: 5V-3A/9V-2.22A/12V-1.67A (20W Max)

Type-c Input: 5V-3A/9V-2A (18W Max)

Multiple Output: 5V-3A (15W Max)

USB-A1/A2 Output: SCP/FCP/QC2.0/QC3.0/AFC/VOOC

USB-C Output/Input:

PD2.0/PD3.0/QC2.0/QC3.0/AFC/FCP

Size: 146*68*28mm Weight: 421g

Material: ABS+PC



Charger

要快充，
找紫米！



20W PD Fast Charging CCC Certification

Fast Charging Without Overheating



Product Name: PD Power Adapter

Model: Q20W1C-3

Input : 200-240VAC 50/60Hz 0.6A Max

Output : DC 5V-2.22A 9V-2.22A 12V-1.67A 20W MAX

Fast Charging Protocols: PD2.0/PD3.0/PPS

Size: 41.5*42.5*27mm Weight: 48g



30W PD Fast Charging GaN Technology Fast Charging Without Overheating



Product Name: GaN Fast Charging Charger

Model: Q30W1C

Input: 220VAC 50/60Hz 0.8A Max

Output : DC 5V-3A 9V-3A 12V-2.5A 30W MAX

Fast Charging Protocols:

PD3.0/SCP/FCP/QC2.0/QC3.0+/AFC/BC1.2

Size: 48.5*45*21.5mm Weight: 60g



20W Mini GaN Low-temperature Fast Charging

Product Name: GaN Charger

Model: Q20WMINIC

Input: 100~240VAC 50/60Hz 0.6A Max

Output: 5V-3A/9V-2.22A/12V-1.67 20W Max

Fast Charging Protocols:

PD2.0/PD3.0/QC2.0/QC3.0/AFC/FCP/SCP/DCP/BC1.2

Size: 29*29*29mm

Weight: 52g





30W PD Fast Charging

Fifth-generation Gallium Nitride

Miniature Size

Product Name: USB-C GaN fast charger

Model: RH-PD33W

Input: 100-240V 50/60Hz 0.8A Max

Output: 5V-3A,9V-3A,12V-2.5A,15V-2A,20V-1.5A,PPS:
3.3-11V-3A 33W MAX

Fast Charging Protocols:
PD3.0, QC4.0+, QC3.0, QC2.0, FCP, AFC, PPS, Apple
2.4A, SAMSUNG 2A, DCP

Size: 31.6*32.8*31.2mm Weight: 55g





45W GaN Fast Charging

Low-Temperature Fast Charging Compatible with iPhone 17



Product Name: 45W GaN Fast Charging Charger

Model: Q45C

Input: 200~240V 50/60Hz 1.3A Max

Output: 5V-3A/9V-3A/12V-3A/15V/3A/20V-2.25A 45W Max



Fast Charging Protocols:
PD2.0/PD3.0/QC2.0/QC3.0/PPS/AFC/FCP/SCP/BC1.2/Apple2.4

Size: 43*40*28mm

Weight: 48g



45W GaN Mini and Compact

Compatible With iPhone All Series Fast Charging

- Product Name: 45W GaN Fast Charging Charger
- Model: QM45C
- Input: 200~240V 50/60Hz 1.3A Max
- Output: 5V-3A/9V-3A/12V-3A/15V/3A/20V-2.25A 45W Max
- Fast Charging Protocols:
 - PD2.0/PD3.0/QC2.0/QC3.0/PPS/AFC/FCP/SCP/BC1.2/Apple2 .4
- Size: 43*40*28mm
- Weight: 48g Color: White、 Blue、 Orange



20W Super Fast Charging/Flash Charging CCC Certification

Product Name: PD Power Adapter

Model: A33

Input: 220VAC 50/60Hz 0.6A Max

Output: 5V-3.0A 9V-2.22A 20W MAX

Fast Charging Protocols:

PD2.0/PD3.0/SCP/FCP/QC/VOOC/HVSCP/SPUERVOOC

Size: 27*42*62mm Weight: 50g



65W 3-Ports GaN PI Chip Plug-in Foldable

Product Name: GaN Fast Charging Charger

Model: Q65WCCA

Input: 220VAC 50/60Hz 1.5A Max

Output: USB-C1:DC 5V-3A/9V-3A/12V-3A/15V-3A/20V-3.25A/(PPS)
65W Max

USB-C2/USB-A:DC 5V-3A 9V-2.22A 12V-1.67A 20W Max

USB-C1+USB-C2/USB-A:USB-C1:DC 5V-3A 9V-3A 12V-3A 15V-3A
20V-2.25A 45W Max

USB-C2/USB-A:5V-3A 9V-2.22A 12V-1.67A 20W Max

USB-C1+USB-C2+USB-A: USB-C1: DC 5V-2.22A 9V-2.22A 12V-
2.22A 15V-2.22A 20V-2.25A

USB-C2+USB-A:DC 5V-3A 45W+15W(60W Max)

Compatible With Fast Charging Protocols:

USB-C1:

HVSCP/FCP/PD2.0/PD3.0/PPS/QC2.0/QC3.0/QC4+/AFC/MTK-
PE/Apple2.4A/SAMSUNG 2A

USB-C2:

HVSCP/FCP/PD2.0/PD3.0/PPS/QC2.0/QC3.0/QC4+/AFC/Apple
2.4A/SAMSUNG 2A

USB-A: HVSCP/FCP/QC2.0/QC3.0/QC3.0+/AFC/MTK-PE/Apple
2.4A/SAMSUNG 2A

Size: 64*42*32mm Weight: 128g





10W Fast Charging CCC Certification Low-temperature Fast Charging



Product Name: PD Power Adapter

Model: Q10W1A

Input: 220~240VAC 50/60Hz 0.3A Max

Output: DC 5V-2A 10W MAX

Size: 46.3*38*23.44mm Weight: 48g

USB-A Dual-port Charger **Charge Two Devices Simultaneously**

Product Name: PD Power Adapter

Model: Q10W1A1A

Input: 200-240VAC 50/60Hz 0.5A Max

Output: DC5V -2.1(Single Port/Double Ports 2.1W Max)

Fast Charging Protocols:
PD3.0/QC2.0/FCP/AFC/DCP/SAKSUNG 2A

Size: 45*41*27.5mm

Weight: 47.2g





100W Four Ports GaN Charger

Dual Device Charging



Product Name: 100W GaN Fast Charging Charger

Model: Q100W3C1A

Input: 100~240V 50/60Hz 2A Max

USB-C1/C2 Output: 5V-3A/9V-3A/12V-3A/15V-3A/20V-5A(100W Max)

USB-C3 Output: 5V-3A/9V-3A/12V-2.5A/15V-3A/20V-1.5A (30W Max)

USB-A Output: 4.5V-5A/5V-4.5A/9V-2A/10V-2.25A (22.5W Max)

USB-C1/USB-C2 Output: 100W

USB-C3 Output: 30W, USB-A Output: 22.5W

USB-C1+USB-C2/C3 Output: 65W+30W=95W

USB-C2+USB-C1/C3 Output: 65W+30W=95W

USB-C1+USB-A Output: 65W+22.5W=87.5W

USB-C3+USB-A Output: 7.5W+7.5W=15W

USB-C1+USB-C2+USB-C3/A Output: 45W+30W+22.5W=97.5W

USB-C1/C2+USB-C3+USB-A Output: 65W+15W=80W

USB-C1+USB-C2+USB-C3+USB-A Output: 45W+30W+7.5W+7.5W=90W

USB-C1/C2/C3 Output: PD/QC/DCP/AFC/FCP/PPS

USB-A Output: QC/DCP/AFC/FCP/SCP

Size: 30*70.5*73.3mm

100W Three Ports GaN Charger

Intelligent Color Digital Display



Product Name: 100W GaN Digital Display Charger

Model: QS100A2C

Input: 100~240V 50/60Hz 2A Max

USB-C1 Output: 5V-3A/9V-3A/12V-3A/15V-3A/20V-5A(100W Max)

USB-C2 Output: 5V-3A/9V-3A/12V-3A/15V-3A/20V-5A(100W Max)

USB-A Output: 4.5V-5A/5V-4.5A/9V-2A/10V-2.25A (22.5W Max)

USB-C1/USB-C2 Output: 100W

USB-A Output: 22.5W

USB-C1+USB-C2 Output: 65W+33W=98W

USB-C1+USB-A Output: 65W+22.5W=87.5W

USB-C2+USB-A Output: 12W+12W=24W

USB-C1+USB-C2+USB-A Output: 65W+12W+12W=89W

USB-C1/C2 Output: PD/QC/DCP/AFC/FCP/PPS

USB-A Output: QC/DCP/AFC/FCP/SCP

Size: 30*68.5*73mm

140W Four Ports GaN Charger

Dual Device Charging With Digital Display



Product Name: 140WGaN Intelligent Color Digital Display Charger

Model: QS140A3C

Input: 100~240V 50/60Hz 3A Max

USB-C1/C2 Output: 5V-3A/9V-3A/15V-3A/20V-5A/28V-5A(140W Max)

USB-C3 Output: 5V-3A/9V-3A/12V-3A/15V-3A/20V-5A (100W Max)

USB-A Output: 4.5V-5A/5V-4.5A/9V-2A/10V-2.25A (22.5W Max)

USB-C1/USB-C2 Output: 140W

USB-C3 Output: 100W, USB-A Output: 22.5W

USB-C1/C2+USB-C2/C3 Output: 70W+70W=140W,

USB-C1/C2+USB-A Output: 90W+22.5W=112.5W

USB-C1+USB-C2+USB-C3 Output: 45W+45W+45W=135W

USB-C1+USB-C2+USB-A Output: 65W+45W+22.5W=132.5W

USB-C1/C2+USB-C3+USB-A Output: 100W+12W+12W=124W

USB-C1+USB-C2+USB-C3+USB-A Output: 55W+45W+12W+12W=124W

USB-C1/C2/C3 Output: PD/QC/DCP/AFC/FCP/PPS

USB-A Output: QC/DCP/AFC/FCP/SCP

Size: 30*71.5*74mm



30W GaN Dual-port Fast Charging Compact, Foldable Plug

Product Name: GaN Dual-port Fast Charging Charger

Model: Q30W1A1C

Input: 100-240V 50/60Hz 1.0A Max

USB-C Input: 5V-3A/9V-3A/12V-2.5A/15V-2A/20V-1.5A/3.3V-11V-3A 33W MAX

USB-A Output: 5V-3A/9V-3A/12V-2.5A 30W MAX

USB-A+C Output: 5V-4.5A 22.5W MAX

USB-C Output:

PD2.0/PD3.0/PPS/SCP/FCP/QC2.0/QC3.0/QC4+/AFC

USB-A Output: SCP/FCP/QC2.0/QC3.0/AFC /Apple2.4A

Size: 43*39.6*27.5mm Weight: 58g





C+L Port 20W Fast Charging

CCC Certification Low-temperature Fast Charging

Product Name: PD Power Adapter

Model: Q20WCL

Input: 100~240V 50/60Hz 0.5A Max

Output: USB-C or USB-L: 5V-3A/9V-2.22A/12V-1.67 20W Max

Fast Charging Protocols:

PD3.0/QC2.0/FCP/AFC/DCP/SAKSUNG 2A

Size: 45*41*27.5mm

Weight: 47.2g



Data Cable

要快充，
找紫米！



3A/60W High Power

Universal For Mobile Phones/Laptops

Product Name: C-C Charging Cable

Model: 60WC2C1

Output Port Type: USB-C Transfer USB-C

Length: 1m/1.5m/2m

Function: Charging + Data transfer

Material: Cotton Woven Fabric

Power: PD 60W Current: 3A(Max)



PD60W High Power

Universal For Mobile Phones/Laptops

Product Name: C2C Charging Cable

Model: X60W3AC2C

Output Port Type : USB-C Transfer USB-C

Length: 1m/1.5m/2m

Function: Charging + Data transfer

Material: TPE

Power: PD60W

Current: 3A(Max)



100W Fast Charging E-marker Chip Universal For Mobile Phones/Laptops

Product Name: C2C Charging Cable

Model: X100WC2C

Output Port Type: USB-C Transfer USB-C

Length: 1m/1.5m/2m

Function: Charging + Data transfer

Material: TPE Power: PD 100W Current: 5A(Max)



100W Super Fast Charging Fully Compatible Data Cable

Product Name: 100W A-C Charging Cable

Model: X100W6AA2C

Output Port Type: USB-A Transfer USB-C

Length: 0.3m/1m/1.5m/2m

Function: Charging + Data transfer

Material: TPE

Power: PD 100W

Current: 6A(Max)



2.4A Large Current

Safe Compatibility Without Pop-ups



Product Name: A2L Charging Cable

Model: X12WAL

Output Port Type: USB-A Transfer Lightning

Length: 0.3m/1m/1.5m/2m

Function: Charging + Data transfer

Material: PVC Power: PD 20W Current: 3A(Max)



30W/20W PD Fast Charging

Universal For Mobile Phones/Laptops



Product Name: C2L Charging Cable

Model: X30WCL

Output Port Type: USB-C Transfer Lightning

Length: 0.3m/1m/1.5m/2m

Function: Charging + Data transfer

Material: PVC Power: PD 30W Current: 3A(Max)



100W Fast Charging E-marker Chip Stain-Resistant Crystal-Clear Cable



Product Name: C2C Crystal Clear Data Cable

Model: XJ100WC2C

Output Port Type: USB-C To USB-C

Length: 1m/1.5m/2m

Function: Charging + Data transfer

Material: Braided+PVC Power: PD 100W

Current: 5A(Max)

Color: White、Pink、Blue、Orange





6A Big Current 100W Fast Charging Stain-Resistant Crystal-Clear Cable

Product Name: 100W A-C Crystal Clear Data Cable

Model: XJ100W6AA2C

Output Port Type: USB-A To USB-C

Length: 0.3m/1m/1.5m/2m

Function: Charging + Data transfer

Material: Braided+PVC Power: PD 100W

Current: 6A(Max)

Color: White、Pink、Blue、Orange



2.4A Big Current

Stain-Resistant Crystal-Clear Cable

Product Name: A2L Crystal Clear Data Cable

Model: XJ12WAL

Output Port Type : USB-A To Lightning

Length: 0.3m/1m/1.5m/2m

Function: Charging + Data transfer

Material: Braided+PVC Power: PD 20W

Current: 3A(Max)

Color: White、Pink、Blue、Orange



30W/27W PD Fast Charging Stain-Resistant Crystal-Clear Cable



Product Name: C2L Crystal Clear Data Cable

Model: XJ30WCL

Output Port Type: USB-C To Lightning

Length: 0.3m/1m/1.5m/2m

Function: Charging + Data transfer

Material: Braided+PVC Power: PD 30W

Current: 3A(Max)

Color: White、Pink、Blue、Orange

